





OSAWA & COMPANY PRODUCTS CATALOG













Wonder-Gun is...


a new type of air gun that uses compressed air to blow off, suction, and to transfer materials, and is used widely

The products marked �adopt the special jet system, which is a way of bringing out the full power of the compressed air. It works by injecting a large quantity of secondary air in angle to the main air jet and this causes the main air jet to spiral powerfully.

There are no worries that materials get clogged inside of Wonder-gun since it doesn't have any interior restrictions.

Handheld Model

Three in One(Blow off, Suction, Transferring)!!



Drawing 1

Drawing 2

Suction

Blow-off

W301 142 φ11 ϕ 1.4×3holes 260g

We offer powerful version for this model.

Suction Nozzle Action

For Blow-off

Place the suction nozzle as in the left drawing 1. Then start operation. A large amount of air goes into the gun from side® together with the compressed air, and a strong air flow is blasted in spirals from the holes

For Suction


Place the suction nozzle as in the left drawing 2. Then start operation. A large amount of air goes into the

gun from side (A) together with the compressed air, and a strong air flow is blasted in spirals from the holes on the nozzle


In this operation. Wonder-gun can be used as a cleaner.

W101 A set (for suction)


Compressed Air




W101 B set (for suction)



W301 A set (for suction)




W301 B set (for suction)



W101-II-LC · W101-II-TC · W101-II-LH **Mounting Model** W101-Ⅲ-TH · W101-Ⅲ(without hose joint) W101-II-LC W101-**Ⅲ**-LH W101-II-TC W101-Ⅲ (without hose joint) W101-Ⅲ-TH Used Widely in Many Places!! Model В СД F(Min ID) G Nozzle Orifice Weight Ε G Ε φ22 W1O1−**II** | 144 | 67 | 44.5 | 32.5 | OD:ø32 | ID:ø26 ϕ 41 ϕ 1.4×6holes 250g ■Please refer to performance chart on page (1). ■We offer powerful versions. Compressed Air (1/4) B set (for suction) A set (for suction) W1-6 (φ32×2000mm) W1-2 OD : φ26 ID : φ20 70 (Å CIIIIIIIII 0 Dust Bag (370×200mm) Dust Bag W1-3 (Length:200mm/PVC) --W1-7 W1-3 (Length:200mm/PVC) _W1-7 W301-Ш-LC · W301-Ш-TC · W301-Ш-LH **Mounting Model** W301-III-TH · W301-III(without hose joint) W301-III-LC W301-III-TC W301-II-LH W301-Ⅲ (without hose joint) W301-II-TH \bigcirc Model F(Min ID) G Nozzle Orifice Weight W3O1-III | 142 | 66.5 | 40.5 | 35 | 0D:¢20 ID:¢14 φ11 OD: ϕ 25 ID: ϕ 18 $|\phi$ 32 $|\phi$ 1.4×3holes ■Please refer to performance chart on page (1). Compressed Air (1/4) ■We offer powerful versions. A set (for suction) B set (for suction) – W3-8 (φ25×2000mm) W3-2 W3-2 OD : φ14 ID : φ10 OD : φ14 ID : φ10 0Dust Bag (370×200mm) Dust Bag (370×200mm) ∠_{W3-3} (Length:150mm/PVC) ·W3-3 (Length:150mm/PVC) -W3**-**9

-W3**-**9

Jumbo Model




■We offer powerful versions of Jumbo model.

W501-S · NW501-S · W501-SG · NW501-SG W501-L · NW501-L · W501-LG · NW501-LG

Mini Model


Compact!! Mounting Model!!

■We offer hoses and dust bag specially for Jumbo model.




												(111111)
Model	Α	В	С	D	F(Min ID)	G	Н	I	J	Κ	Nozzle Orifice	Weight
W501-S(G)	71.5	27	10.5	OD:ø 9 ID:ø 7	φ 5	φ13.3	φ17	1/8	_	φ10	ϕ 1.2×3holes(ϕ 1.2×6holes)	58g
W501-L(G)	71.5	27	10.5	OD:ø12 ID:ø10	φ8	φ16.3	φ21	1/8	_	φ13	\$\phi_1.3\times3\text{holes}(\phi_1.3\times6\text{holes})\$	80g
NW501-S(G)	94.5	27	10.5	OD:ø 9 ID:ø 7	φ 5	φ13.3	φ17	1/8	23	_	ϕ 1.2×3holes(ϕ 1.2×6holes)	60g
NW501-L(G)	94.5	27	10.5	OD:ø12 ID:ø10	φ8	φ16.3	φ21	1/8	23	-	ϕ 1.3×3holes(ϕ 1.3×6holes)	83g

Powerful versions; Total air blast and thrust increase 70% and suction force increases 50%.



Recommended Compressor Power W501-S(L)······· 1.1~1.5kw W501-SG(LG) 1.5~3kw NW501-S(L) 1 1~1 5kw

NW501-SG(LG) ··· 1.5~3kw



Vacuum Pressure 50 40 30 20 (MPa)

Model





Recommended Compressor Power 1.5~3kw

YW501 series are equipped with hand-grips. Please make sure to specify either suction or blow-off.

■ Please confirm delivery schedule since YW501 type are custom-ordered products.

☆ W101-YZ

Wide-Catch Model

Draws in and Blow off At the Same Time. How Clever!

Plenty of Uses...

Cleaning inside of wide-mouth bottles!

Air Adjustment Valve

Recommended Compressor Power 3~3.7kw


- Cleaning food containers!
- Removing chips from holes!



Features:

Air Blow Nozzle blows off materials and a Wide-mouth suction pipe never fails to catch them.

- *Wonder-Gun Wide Catch model is provided as the unit below. Please order "W101-YZ Gun only" when you require only the gun. * It can be used with Dust Collector PC-1 or W1-20.





Don't seal completely!! Requires outside air intake to work effectively.

/ Suction			Compressed Air						
								(mm)	
	Model			Sp	pecificat				
	Model	Length	Weight	Wide-mouth n	netal fitting	Air Blow Nozzle OD	Suction Nozzle ID	Nozzle Orifice	
	W101-YZ	281	600g	OD:φ98	ID:φ85	φ4	φ22	φ1.4×6holes	

■ Wonder-Gun Wide Catch model is provided as the unit below. Unit contains:


- ●Wide-Catch Model -● φ32 Duct Hose(2m) ●Dust Bag
- ●Hose Clamp -





W101-YZ-TC · W101-YZ-LH 1-YZ(without hose joint)

Mounting Model






Wide-Catch Mounting Model is not a set; If you wish, please specify A or B at the end of the model number.

⇔ W1O1-II Hole Cleaning model

☆ W301-II Hole Cleaning model




Put Air Blow Nozzle into a hole and then press Air Valve. Air comes out from the nozzle, and blow dust off. The dust is cleaned by the Transparent pipe.



Model	Specification							
Model	Length	Weight	Suction	n Pipe	Air Blow Nozzle OD	Suction Nozzle Min ID(F)	Nozzle Orifice	
W101-II	235	435g	OD:φ39	I D:φ31	φ 5	φ22	φ1.4×6穴	
W101-II	210	350g	OD:φ26	I D:φ20	φ4	φ11	φ1.4×3穴	






Don't seal completely!! Requires outside air intake to work effectively.

- Wonder-Gun Hole Cleaning model is provided as the unit below.
- Unit contains:

 •Hole Cleaning Model —— 1
 - Duct Hose(2m) 1
 Dust Bag 1
 Hose Clamp 2
- •Cleans dust or chips in holes efficiently!!
- Demonstrates great power in tapping!!

Unit contains







Hole Cleaning Mounting model

(mm)

W301-II-LC · W301-II-TC · W301-II-LH W301-II-TH · W301-II (without hose joint)

Hole Cleaning Mounting model






A set



B set



Hole Cleaning Mounting model is not a set; If you wish, please specify A or B at the end of the model number.

☆ W701

Pencil Model



Small Size!! Use as tweezers or for Creaning in corners!!

Feature

- 1.Compact and fits in your hand.
- 2.Can be used with low-pressure compressed air (0.15 \sim 0.5MPa), thus safe and doesn't need much compressed air.
- 3. Suction pipe can be easily replaced for other uses.
- 4. There are no worries that materials will get clogged inside of Wonder-Gun due to a smooth walled interior constructure.


			(mm)				
Specification							
Length	ID	OD	weight				
137	φ2.8	φ20	60g				

Recommended Compressor Power **0.75kw**

■ W701 pencil model is provided as the unit below.

Unit contains:

- ●Pencil Model
- •8×5 Tube for dust bag 0.4m
- ●Injection needle nozzlel —
- Dust Bag for W701-



FV-10 Air Foot Valve



Length	Width	Height	Weight	Hose Joint
170	82	58	480 g	1/4"

For Easy Pedal Operation!!

- 1 Strong Enough for Daily Use.
 This product is made of aluminum die casting.
- Easy Operation. Use both hands free; Can be used with foot.
- 3 Simple Construction.

Air passes through smoothly so there are no breakdowns.

5

Air Foot Valve can be connected to W101 and W301 mounting model, W501 series, W701, and other air tools as well.

W301-ES-22 · W301-ES-26

Air Blast Model



* This can be remodeled to mounting model. Please refer to mounting model on page (2).

Compressed Air

Suction Pipe

Easily remove rust, scale and paint from parts and small equipment, leaving a satin finish ready for paint or further preparation. Air blast type sprays most abrasives including glass beads, aluminum oxide, steel grit, or liquids like oil. Draws abrasives straight from bucket or bag.

■ W301-ES-22 Weight 406g SK Jet Nozzle ID ϕ 6

	Air Pressure	Discharge	per minute	Vacuum Pressure	Air Consumption
-	MPa	Sand	Water	kPa	ℓ/min Normal
	0.4	800g	1000cc	57.6	234
	0.5	850g	800cc	55.3	280
ſ	0.6	850g	700cc	49.7	327
	0.7	850g	550cc	41.8	373

■ W301-ES-26 Weight 440g SK Jet Nozzle ID ϕ 8

Air Pressure	Discharge	per minute	Vacuum Pressure	Air Consumption
MPa	Sand	Water	kPa	ℓ/min Normal
0.4	1800g	1800cc	56.5	462
0.5	1800g	1650cc	58.4	554
0.6	2000g	1500cc	57.5	646
0.7	2000g	1400cc	53.8	738

■We offer a powerful version of air blast gun(W301-ES-28 with Jet Nozzle ID ϕ 10). Please contact us for detail.

■ W301-ES air blast model is provided as the unit below.

Recommended Compressor Power

W301-ES-22······1.5~3kw W301-ES-26······3~5.5kw

Unit contains:
●Air Blast Model — 1
●Suction Hose(2m) — 1
•Suction Pine(Iron) — 1

₩1-20 · W1-20SET W3-20 · W3-20SET



Dust Collector W1-20 (Weight: 6.7kg)



Dust Collector Set W1-20SET (Weight: 7.7kg)



Dust Collector Set W3-20SET (Weight: 7.4kg)

Easy to Use!! For a Wide Range of Application!

- W1-20 set and W3-20set series can be combined with 20l tank.
 You can collect the materials which have been vacuumed by Wonder-Gun.
- W1-20 can be combined with Wonder-Gun W101 series mounting model, Wide-Catch model, and Hole Cleaning model.
- W3-20 can be combined with Wonder-Gun W301 series mounting model, and Hole Cleaning model.
- We offer replacement filters.

Unit Contains:

Dust Collector

W3-20 (Weight: 6.7kg)

Model	Wonder-Gun	Suction Pipe	Hose(Oil Registance)	Hose Clamp	Dust Collector	Air coupler
W1-20 Set	W101 1PC	φ20×200mm 1PC	φ32×2000mm 1PC	2PCS	W1-20(Ø300) 1PC	1/4 1PC
W3-20 Set	W301 1PC	φ10×150mm 1PC	φ25×2000mm 1PC	2PCS	W3-20(\$300) 1PC	1/4 1PC

%The above products don't include any tanks.

Wonder-Gun Dust Collector series don't fit to handle liquid and powders. Please use Silent Cleaner or Mini Porter Cyclone for liquids and powders.

■Please refer to page(1) for performance chart.

PC-1 · PCS-1 PC-3 · PCS-3

Dust Collector Super

Dust Filter



Dust Filter PC-1 (Weight: 6.5kg)

PC-3 (Weight: 6.5kg)



Dust Collector Super PCS-1 (Weight: 7.7kg)



Dust Collector Super PCS-3 (Weight: 7.4kg)

Easy to Move!! For a Wide Range of Application!

- Equipped with a 20l tank and aluminum stand with casters. Easy to move.
- PCS-1 can be combined with Wonder-Gun W101 series mounting model, Wide-Catch model, and Hole Cleaning model.
- PCS-3 can be combined with Wonder-Gun W301 series mounting model, and Hole Cleaning model.
- We offer replacement filters.

Unit Contains

Offic Contains.						
Model	Wonder-Gun	Suction Pipe	Hose(Oil Registance)	Hose Clamp	Dust Collector	Air coup l er
PCS-1	W101 1PC	φ20×400mm 1PC	φ32×2000mm 1PC	2PCS	PC-1	1/4 1PC
PCS-3	W301 1PC	φ10×300mm 1PC	φ25×2000mm 1PC	2PCS	PC-3	1/4 1PC

Wonder-Gun Dust Collector series don't fit to handle liquids and powders. Please use Silent Cleaner or Mini Porter Cyclone for liquids and powders.

■Please refer to page(1) for performance chart.

 \lesssim SC60-32S · SC60-38S (for Dust Collection) SC60-32S W/F · SC60-38S W/F (for Fine Dust Collection)


POWERFUL & SILENT


Silent Cleaner can handle water, oil, sludge, gravel, grain, metal chips and many more materials than other existing vacuum cleaners




For fine powder, please use cleaners for fine dust collection.

Performance Chart(SC60-32S(W/F)·SC60-38S(W/F))








Recommended Compressor Power 5.5~7.5kw






Recommended Compressor Power 2.2~3.7kw


Easy to Use... Put it on a Tank!!

SC20-32P (for Dust Collection) (For 20l/Tank) Silencer(Silent Filter) Safety Valve



- •Please put SC20-32P(W/F) on a 20l Tank.
- For performance, please refer to performance chart on page(9).
- •For fine powder, please use cleaners for fine dust collection.

SC200-32D • SC200-38D (for Dust Collection) SC200-32D W/F • SC200-38D W/F (for Fine Dust Collection)



- •Please put SC200-32D(W/F) or SC200-38D(W/F) on a 200\(\ell\) open drum. For performance, please refer to performance chart on page(8).
- •For fine powder, please use cleaners for fine dust collection.
- •We offer powerful versions of Silent Cleaner; ex: SC20-32PG, SC200-32DG.
- •We offer Silent Cleaner for fine dust collection.

 SC60-38SW/F
 SC60-32SW/F
 SC30-32SW/F
 SC200-32DW/F

 SC20-32W/F
 SC20-32PW/F
 SC60-50SW/F
 SC200-38DW/F

- •We recommend attaching Mini Porter Cyclone for a large amount of fine dust or powder.
- •We offer Conductive Hose or Antistatic Hose.

Accessories (sold separately)



Please use Fine Filter for fine powder.



Hydro Stopper stops suction automatically when Silent Cleaner ingests certain amount of liquid.









More POWERFUL than other models of Silent Cleaner!!

Cleans water, oil, sludge, grains, gravels and metal chips that other existing vacuum cleaners cannot. Recommended for any work place!

Oil Resistant Hose

Suction Pipe (Aliminum)

ID: \$\phi 50 Length: 2000mm


Draw Latch


OD: φ50 ID: φ47 Length: 700mm


Powerful!! and SILENT!!



■ Performance Chart(SC60-50S(W/F)








Recommended Compressor Power 11~15kw

SC30-32TVG (for High Viscosity liquid)


Vacuum Thick Materials such as Mayonaise and Grease EASILY!!

Powered by Compressor!!

No Rotating Parts -Breakdowns Caused by Wear and Tear Are Minimized !!



■ Performance Chart(SC30-32TVG·SC3T-19VG)



Recommended Compressor Power More than 5.5kw




MP-38 CF12

No Filters are used to process fine dust or powder.



Centrifugal Action of Mini Porter Cyclone



TROUBLES IN HANDLING FINE POWDER??

Mini Porter Cyclone separates powder and air by centrifugal force and sheer dead weight with no filters. Eventually, the powder is dropped into a tank and accumulats while the air flows into the suction machine. When handling flour, for example, the efficiency is almost 100%. This function reduces maintenance and helps to save expense and time.

LIGHT AND COMPACT!! Great for Cleaning Office Automation Equipment Dust, Toner and stuff.

⇔ SC3T-19 MP-19 Antistatic Hose Antistatic Hose φ19×2000mm φ19×1500mm Suction Pipe Suction Pipe (SUS) (SUS) \$\phi\$19\times130mm φ19×130mm 3ℓTransparent Tank (PVC) 3ℓTransparent Tank(PVC) 2kg Weight: 1.8kg Weight: Height: 335mm Height: 340mm Width: 160mm Width: 160mm MP-19 can not be used alone. Please connect a SC3T-19.

Example of Combination



- MP-19: The smallest in the Mini Porter series.
 SC3T-19: The smallest in the Silent Cleaner series
- Please contact us for further details.

Great for

☆ Combination Model

(SUS304) Easy to Move!! Oil Resistant Hose ID: ø38 Length: 3000mm Fine Powder!! Draw Latch 30ℓSUS Tank

Cyclone Separator Oil Resistant Hose ID: ø32 Plate thickness: 1.2mm Length: 1000mm Silencer (Silent Filter) Safety Valve Hose Connection Jet Ejector Silent Cleaner body (SUS304) 30ℓSUS Tank (SUS304) Suction Pipe (Aluminum) Platform Cart OD: ø38 ID: φ34 Length: 600mm ex: MP-38S CF12+SC30-32S W/F

 For performance, please refer to performance chart on page (9).

Built-in Jet Ejector!!


MP-38WA series are designed specially to handle fine powder.

No Filters are used to process fine dust or powder.

No Rotating parts -

Breakdowns caused by wear and tear are minimized.


(Same construction as Silent Cleaner)




Performance Chart(MP-38WA CF12) Suction Air Volume and Air Speed in Vaccum Pressure Suction Pipe Air Consumption (la 2.0 25 20 25 1.0 15 20 10 0.5 15 Air Consumption

Mini Porter Cyclone Serie MP-38CF12Plate Thickness 1.2mm Hose IDø38 MP-50CF12 ·····Plate Thickness 1.2mm Hose IDφ50 MP-38WACF12 ·····Plate Thickness 1.2mm Hose IDφ38 MP-50WACF12Plate Thickness 1.2mm Hose IDφ50 For custom-orders, please contact us.


Recommended Compressor Power 2.2kw~3kw





1-7-28, Yunagi, Minato-ku, Osaka, 552-0004 Japan TEL:+81-6-6572-1207 FAX: +81-6-6572-1256 http://www.osawa-company.co.jp

E-mail: osawa@osawa-company.co.jp



Specifications are subject to change without notice. 2019-01-07-05